

## Double protection for your garage

Protection against heavy  
rain and burglary

Now also available  
in widths up to 5 m

New!

AquaLOCK® against  
flooding/heavy rain



AquaLOCK® against burglary



The AquaLOCK® System offers twice the  
protection in attractive designs.

Installation in just one day!

## Protect your garage against flooding, heavy rain and burglars: With AquaLOCK® from TBS

Based on the TBS Garage Door, with its many years of proven effectiveness, TBS has developed the AquaLOCK® System for garage doors that now offers building owners double protection: protection against flooding and heavy rain, as well as protection against burglars.

### Flood protection – Your benefits:

- Garage door closed = 99.9 % of the floodwater remains outside your garage
- Protection up to water levels of 1.6 m based on a garage door height of 2.5 m (acc. to IFT Guideline)
- The most cost-effective solution compared to traditional flood protection products
- Certified by the European Flood Protection Association (Europaverband Hochwasserschutz e.V.)
- Customized to suit your wishes: both optically and structurally
- Delivered in the morning, installed by the evening: straightforward installation from a single source

### Burglary protection – Your advantages:

- AquaLOCK® doors are considerably safer than most normal garage doors thanks to the certified sealing system
- A AquaLOCK® door can only be breached with exceptional force
- Your garage is therefore better protected against unauthorized entry



**Request your no-obligation  
offer today – to ensure  
your house is secure tomorrow**

## Customized to suit your wishes: AquaLOCK® doors match your building perfectly

The planking and formwork of a AquaLOCK® door is possible using a variety of materials: aluminum, steel, wood or plastic, depending on the circumstances. You can also choose from a wide range of colors.





## Custom installation of your AquaLOCK® garage door:

Your AquaLOCK® garage door needs to be adapted to the dimensions of your garage down to the last millimeter to ensure it can fulfil its task perfectly. Precise measurement is therefore the first task that our experienced fitters carry out on site – the basis for detailed and reliable service.

Wall junction behind reveal

Wall junction between reveal



**Installation in just one day!**

Learn how AquaLOCK® can also provide double protection for your garage – we look forward to hearing from you!

+49 (0) 73 55 / 93 10-0  
 info@torbau-schwaben.de  
 www.aqualock.info

## AquaLOCK® – “\*floodproof” protection for your garage

When flooding occurs, more than 6,000 liters of water can press against your house and garage within a very short time. A conventional garage door has no chance to withstand such a strain – the entire mass of water will flood the interior.

**In contrast, the AquaLOCK® System for garage and access doors will hold back 99.9% of the water.**

“Flood proof” (according to the ift Guideline) currently means that a maximum of 240 l “may” penetrate in the course of 24 hours. In practice, however, the actual amount of water is usually even lower, because the tests of our doors by the respected ift Institute in Rosenheim are carried out using clear water. Since floodwater is always polluted, the dirt particles strengthen the water protection effect, because they block the tiny pathways that still remain for the water.



## AquaLOCK® – higher protection against burglary than most standard garage doors

TBS has carried out extensive research and development to make the proven TBS garage door even safer in every respect.

**The result is the AquaLOCK® System, with its patented and certified sealing mechanism.**

Since the garage door is sealed with an above-average pressure to keep 99.9% of the water out, the principle also provides excellent protection against burglary

This is because the average burglar cannot breach your AquaLOCK® garage door within the usual break-in time of 30 to 60 seconds – the resistance is too strong!



Please note: Drawing not to scale

Form: 17/e 04/2018 V:1

Your locale TBS adviser:

**AGGERES NV**  
**Boomgaarddreef 9**  
**2900 SCHOTEN (Belgium)**  
**+32 (0) 3 633 15 50**  
**sales@aggeres.com**  
**www.aggeres.com**