



**DO NOT BE SURPRISED BY FLOODING  
PROTECT YOUR PROPERTY WITH THE PORTA WATER BARRIER**



**AGGERES NV**  
Boomgaarddreef 9 - 2900 Schoten - België  
tel +32 3 633 15 50 | fax +32 3 633 22 50 | [info@agges.com](mailto:info@agges.com) | [www.agges.com](http://www.agges.com)



No messing around with sandbags thanks to the Porta water barrier by AGGÈRES™.

## AGGÈRES™ Porta

The Porta is an extremely lightweight, custom-made flood barrier.

This ingenious water barrier is easy to install within 2 minutes.

It can be placed in front of windows, doors, and larger openings. The barrier is placed with discreet guide rails so that the view of your window or door hardly changes.

The Porta is also extremely suitable for larger widths using an interconnecting post.

The water barrier is designed for temporary use. It is not recommended to leave the barrier mounted for more than 2 weeks as this may damage the sealing rubbers (risk of permanent deformation).

### Benefits

- Very light , easily carried by 1 person
- Quick to install
- Only one panel per doorway
- No messing around with sand bags or wooden panels etc.
- Installation possible both inside and in front of the opening


### Characteristics

- Polyester or Aluminium sandwich panel with composite frame
- Standard heights: 300 - 500 - 700 - 1.000 mm
- Min/Max width: 300 – 3.000 mm (single panel)
- Rubber seals for a watertight connection
- Each panel is provided with a location label
- 2 years manufacturer's warranty (\*)

\*Aggères cannot be held responsible for damage to or failure of the system due to incorrect installation or assembly.

## Mounting options


### B1 – In between jambs



The following mounting methods are possible:

C1 – L Shape

### B3 – In front of the opening



The following mounting methods are possible:

C2 – T Shape

C3 – L Compact

C4 – U Shape

C5 – Brackets



- Mounting in between jambs with L-profile

- L-profile permanently inserted into the jamb
- Standard in anodised aluminium, uncoloured
- Optionally powder-coated in a desired RAL colour
- Tensioning levers are removable

- Mounting in front of the opening with T-profile

- T-profile permanently mounted on wall
- Removable handles
- Standard in anodised aluminium, non-coloured
- Optionally powder-coated in a desired RAL colour

## References



Office – Aalst



Store - Orp-le-Grand



Store - Genappe



House- Kessel-Lo



House- Turnhout



House- Roeselare



House- Grimbergen



House - Buggenhout



House- Pittem



Warehouse - Roeselare



House- Lichtervelde



House- Amsterdam (NL)

# References



House- Lubbeek



House- Baarn (NL)



House- Wingene



Office - Koksijde



Store - Waver



Warehouse - Doesburg (NL)



House- Lichtervelde

